

NOTES

MOWER CHANGES FROM 84/85 to 85/86

(5000 & 8000 Series)

40" & 50" (3 Blade) Mowers

Old and new interchangeable

1. New Belt Covers - quick removal, no tools required
2. New Leveling System - eccentric leveling in cams & wheels
3. New Height Adjustment lever - much stronger
4. New Axle Pivot Weldment - accomodates new height adjustment lever
5. Belt covers on 40" are not as wide for clearance for new axle pivot assembly.

60" MOWERS

Old mowers will not fit new G tractors (sharper turning radius allows front tire interference)

New mowers will fit all long frame 8000 tractors

1. Anti-Scalp Rollers standard
2. New Belt Covers - quick removal, no tools required
3. New Gearbox Support Plate - enlarged notch for longer Pivot Arm Weldment
4. New Pivot Arm Weldment - 1" longer for front wheel clearance
5. Added two 1/2 - 13 jam nuts to lift rod to prevent possible interference.

40" WING MOWER

1. Need to use 4 spacers #39015 and 4 bolts #180194 for twin cylinder tractors or for use with rear engine guard - increases clearance from rotating screen.

GRASS CATCHER FRAME

Old Blower Frame Kit will not fit new G tractors

New Blower Frame Kit will fit on all 8000 Series built after 9-1-82.

1. New Frame Weldment - added holes for wear tabs
2. Added Wear Tab - replaceable
3. New Support Weldment - provides clearance for new fwd/rev mechanism
4. New Support Rod - shorter for different support weldment

GRASS CATCHER HOSES

1. New hose material on boot kits and 3 grass catchers

MOWERS (Pro-Master)

ALL MOWERS

1. New Belt Covers - quick removal, no tools required

MOWERS (Pro)

1. New 36" Mower - multimode mower, 2 spindles
2. New Grass Catcher - plastic instead of aluminum or steel

SNOW ATTACHMENT CHANGES FROM 84/85 to 85/86

5000 Series

32 - INCH SNOWBLOWER

Old and new interchangeable

1. Reinforced Frame - stronger
2. Thicker Scraper Bar - lasts longer
3. Thicker Skids - lasts longer

WINDBREAKER CAB

Should fit all 5000 series tractors

1. New cab for operator comfort

8000 Series

40 & 48 - INCH SNOWBLOWERS

Old and new interchangeable

1. Thicker Scraper Bar - Lasts longer
2. Thicker Skids - lasts longer

44 - INCH POWER BRUSH

1. Power Brush completing kit - part number changes,
New kit and old kit are not interchangeable

CAB

Old and new are not interchangeable, a new cab fits G tractors

1. New cab accomodates changes

7173-H

48 - INCH SNOWBLOWER

Old and new interchangeable

1. Thicker Scraper Bar - lasts longer
2. Thicker Skids - lasts longer

PROMASTER 19 HP

48 - INCH SNOWBLOWER

Snowblower should not be used on old powerunits because cannot use chains and do not have slow speeds.

1. Uses 48" Snowblower for 7173-H
2. Must use adaptor kit number 40050 to attach

CAB

Fits 1985/1986 only

1. New cab for operator comfort

CHANGES IN ACCESSORIES FROM 84/85 to 85/86

5000 SERIES

STEERING BRAKE KIT (40683)

New kit will fit older 5000 series tractors, but old will not fit new tractors.

1. Added notches in handle bar linkage arm for clearance between arm and hood.

8000 SERIES

FRONT DRIVE KIT (40252)

New kit will fit older 8000 series tractors, but old kit will not fit G tractors.

1. L.H. and R.H. Brackets (11697, 11698) have the top corners cut off to clear new style grille. Changed to 40324 & 40325.

LIFT ASSIST KIT (40251)

New kit will fit older 8000 series tractors, but old kit will not fit G tractors.

1. L.H. and R.H. Latch Assemblies (11275, 11274) have handles bent outward to clear wider hood, changed to 40263 & 40264.
2. Replaced Latch Pins (11279) with Latch Pins (31688).

INDIVIDUAL REAR WHEEL BRAKE KIT (40250)

New kit will not fit old tractors and old kit will not fit new G tractors.

1. Brake Links changed from 35023 & 20192 to 40327.
2. Brake Rods changed from 35018 & 20193 to 40636. 40636 rod is same as 35018 except added a hole.
3. L.H. Brake Pedal changed from 35019 to 40635. Changed the way parts are welded for clearance.
4. Brake Drums changed from 20184 to 40328. Tapered axles on new brake drums.

WEIGHT RACK (40638)

New kit will fit older 8000 series tractors, but old kit will not fit G tractors.

1. Angle Supports changed from 20436 & 20437 to 40644 & 40640. Changed because shorter turning radius caused tire interference.
2. Left and Right Supports changed from 20442 & 20441 to 40642. Changed because old supports interfered with new hood.
3. The Latch Pins were changed from 11279 to 31688.
4. L.H. and R.H. Brackets (11697, 11698) have the top corners cut off to clear new style grille. New part numbers are 40324 and 40325.
5. Two of the 1/2-13 x 1 1/2 inch bolts have changed to 1/2 - 13 x 2.25 inches.
6. Spacers have changed from 20435 to Nylon Bushings, 10174.

7. Cotter Pins have changed from 137228 to Hair Pins, 10405.
8. Support Weldment, 20440, has changed to 40643. Four (4) holes were added to accomodate the new angle supports.
9. The other four (4), 1/2 - 13 x 1 1/2 inch bolts have changed to 1/2 - 13 x 2 round head square neck bolts.
10. The Shaft changed from 20434 to 40639. The shaft is now shorter.

REAR PTO KIT (40709)

New kit will fit all 8000 series tractors made after 9-1-82.
Old kit will not fit new G tractors.

1. Made improvements in attaching the drive chain assembly to tractor frame.
2. Made improvements in reducing wear in the axle bearing retainer casting.
3. Old kit will fit new tractor if replace bracket 35151 with bracket 40707 and use additional hardware: 3 washers, 120389; one lock nut, 435507; and one 1/2 - 13 x 2 bolt, 180181.

LIFTABLE REAR HITCH (40701)

New kit will fit all 8000 series tractors. Old kit will also fit new G tractors.

1. Changed cross shaft weldment from 24375 to 40705. The new weldment has a stop to eliminate hitch from lifting too high.
2. Should try to use new hitch on tractors built after 9-1-82 whenever possible. Eliminates possibility of bending frd-rev clutch rod.

ENGINE GUARD (35401)

New and old Guard will fit all 8000 series including G tractors with Kohler or Briggs & Stratton engines. Must use new guard if also installing spacers for clearance on wing mower.

1. Enlarged cut out in bottom of guard to allow clearance for spacers for rear hitch.
2. Cannot be used with lifttable rear hitch.

NOTES

NOTES

1. [Faint, illegible text]

2. [Faint, illegible text]

3. [Faint, illegible text]

4. [Faint, illegible text]

5. [Faint, illegible text]

6. [Faint, illegible text]

7. [Faint, illegible text]

8. [Faint, illegible text]

9. [Faint, illegible text]

10. [Faint, illegible text]

11. [Faint, illegible text]

12. [Faint, illegible text]

13. [Faint, illegible text]

14. [Faint, illegible text]

15. [Faint, illegible text]

16. [Faint, illegible text]

17. [Faint, illegible text]

18. [Faint, illegible text]

19. [Faint, illegible text]

20. [Faint, illegible text]

21. [Faint, illegible text]

22. [Faint, illegible text]

23. [Faint, illegible text]

24. [Faint, illegible text]

25. [Faint, illegible text]

26. [Faint, illegible text]

27. [Faint, illegible text]

28. [Faint, illegible text]

29. [Faint, illegible text]

30. [Faint, illegible text]

APPLICATION CHART
(Effective September 1, 1984)

TWO-WHEEL TRACTOR -Mowing-	5200 (35713)	5240 (35714)	5260 (35715)	5645 (38267)	5665 (38265)
30" (Short Drive can- not be used with stamped deck.) 23075 and 34927 32443 and 32119 OR 34927	No Kit Required	No Kit Required	No Kit Required	No Kit Required	No Kit Required
40"/2-Blade 25120	Quick Hitch Pin 35719	Quick Hitch Pin 35719	Quick Hitch Pin 35719	Quick Hitch Pin 35719	Quick Hitch Pin 35719
40"/2-Blade 11362 Drive 37896 Deck	No Kit Required Remove Attm. Adaptor 35718	No Kit Required Remove Attm. Adaptor 35718	No Kit Required Remove Attm. Adaptor 35718	No Kit Required Remove Attm. Adaptor 35718	No Kit Required Remove Attm. Adaptor 35718
32" Flail 21305 (Includes Locking Strap)	Quick Hitch Pin 35719	Quick Hitch Pin 35719	Quick Hitch Pin 35719	Quick Hitch Pin 35719	Quick Hitch Pin 35719
42" Sickle 10281 Drive 10287 Bar	No Kit Required Remove Attm. Adaptor 35718	No Kit Required Remove Attm. Adaptor 35718	No Kit Required Remove Attm. Adaptor 35718	No Kit Required Remove Attm. Adaptor 35718	No Kit Required Remove Attm. Adaptor 35718
40"/3-Blade 34427 38685	Front Mount 15569 Quick Hitch Pin 35719	Front Mount 15569 Quick Hitch Pin 35719	Front Mount 15569 Quick Hitch Pin 35719	Front Mount 15569 Quick Hitch Pin 35719	Front Mount 15569 Quick Hitch Pin 35719
50"/3-Blade 38684	Not Recommended Lack of Power	Not Recommended Lack of Power	Not Recommended Lack of Power	Front Mount 15569 Quick Hitch Pin 35719	Front Mount 15569 Quick Hitch Pin 35719

APPLICATIONS CHART
(Effective September 1, 1984)

TWO-WHEEL TRACTOR -Snow Removal-	5200 (35713)	5240 (35714)	5260 (35715)	5645 (38267)	5665 (38265)
32" Snowblower 38598 (Includes Locking Strap)	Quick Hitch Pin 35719 *Chains (one) 11344 12125 **14950	Quick Hitch Pin 35719 *Chains (one) 11344 12125 **14950	Quick Hitch Pin 35719 *Chains (one) 11344 12125 **14950	Quick Hitch Pin 35719 *Chains (one) 11344 12125 **14950	Quick Hitch Pin 35719 *Chains (one) 11344 12125 **14950
Dozer 21466	Hitch 38288 Quick Hitch Pin 35719 *Weight 21902 *Skid 11812	Hitch 38288 Quick Hitch Pin 35719 *Weight 21902 *Skid 11812	Hitch 38288 Quick Hitch Pin 35719 *Weight 21902 *Skid 11812	Hitch 38288 Quick Hitch Pin 35719 *Weight 21902 *Skid 11812	Hitch 38288 Quick Hitch Pin 35719 *Weight 21902 *Skid 11812
Power Brush 22118	Quick Hitch Pin 35719 Comp. Kit 19823	Quick Hitch Pin 35719 Comp. Kit 19823	Quick Hitch Pin 35719 Comp. Kit 19823	Quick Hitch Pin 35719 Comp. Kit 19823	Quick Hitch Pin 35719 Comp. Kit 19823
Cart 22172	Trail Hitch 11627 Coup. Strut. 11980	Trail Hitch 11627 Coup. Strut. 11980	Trail Hitch 11627 Coup. Strut. 11980	Trail Hitch 11627 Coup. Strut. 11980	Trail Hitch 11627 Coup. Strut. 11980

*Recommended accessory

**Cannot be used with Steering Brake Kit

APPLICATION CHART
 (Effective September 1, 1984)

TWO-WHEEL TRACTOR -Gardening-	5200 (35713)	5240 (35714)	5260 (35715)	5645 (38267)	5665 (38265)
Rotary Plow 22161	No Kit Required	No Kit Required	No Kit Required	No Kit Required	No Kit Required
Rotary Cultivator 22162	Rotary Plow 22161 or Plow Drive 23334	Rotary Plow 22161 or Plow Drive 23334	Rotary Plow 22161 or Plow Drive 23334	Rotary Plow 22161 or Plow Drive 23334	Rotary Plow 22161 or Plow Drive 23334
Lawn Renovator 37021	Rot. Plow 22161 or Plow Drv. 23334 Rot. Cult 22162 Gauge Whl 37032	Rot. Plow 22161 or Plow Drv. 23334 Rot. Cult 22162 Gauge Whl 37032	Rot. Plow 22161 or Plow Drv. 23334 Rot. Cult 22162 Gauge Whl 37032	Rot. Plow 22161 or Plow Drv. 23334 Rot. Cult 22162 Gauge Whl 37032	Rot. Plow 22161 or Plow Drv. 23334 Rot. Cult 22162 Gauge Whl 37032
Toolholder 22411	No Kit Required (Implements Separate)	No Kit Required (Implements Separate)	No Kit Required (Implements Separate)	No Kit Required (Implements Separate)	No Kit Required (Implements Separate)
Planter Drill 15597	Rot. Plow 22161 Plow Drv. 23334 Blades 13450 or 13138	Rot. Plow 22161 Plow Drv. 23334 Blades 13450 or 13138	Rot. Plow 22161 Plow Drv. 23334 Blades 13450 or 13138	Rot. Plow 22161 Plow Drv. 23334 Blades 13450 or 13138	Rot. Plow 22161 Plow Drv. 23334 Blades 13450 or 13138

APPLICATIONS CHART
(Effective September 1, 1984)

FOUR-WHEEL TRACTOR -Mowing-	8122 (38602)	8123 (38603)	8163-B (38604)	8179-KT (34689)	8199-KT (34690)
40"/2-Blade 11362 Drive 37896 Deck	Frnt. Drv. 31224 Frnt. Adpt 21339 *Lift Ast 11271 *Aux Lift Asst. 18899 *Whl Brk. 35014	Frnt. Drv. 31224 Frnt. Adpt 21339 *Whl Brk. 35014	Frnt. Drv. 31224 Frnt. Adpt 21339 *Whl Brk. 35014	Not Recommended Rear wheels can not be turned inboard.	Not Recommended Rear wheels can not be turned inboard.
40"/3-Blade 34427 38685	*Lift Ast 11271	No Kit Required	No Kit Required	Will Not Work Rear wheels can not be turned inboard.	Will Not Work Rear wheels can not be turned inboard.
50"/3-Blade 38684	*Lift Ast 11271	No Kit Required	No Kit Required	No Kit Required	No Kit Required
60"/3-Blade 31229 37999	Will Not Work Must be used w/long frame.	Will Not Work Must be used w/long frame.	Will Not Work Must be used w/long frame.	No Kit Required	No Kit Required
40" Wing 31855	Not Recommended Lack of Power Cannot be used with 40".	Not Recommended Lack of Power Cannot be used with 40".	*Whl Brk. 35014 *Wght Rk. 20443 With Eng. Guard need 4 Spacers (39015) and 4 Bolts (180194)	*Whl Brk. 35014 *Wght Rk. 20443 Spacers-4 39015 Bolts-4 180194	*Whl Brk. 35014 *Wght Rk. 20443 Spacers-4 39015 Bolts-4 180194

*Recommended accessory

FOUR-WHEEL TRACTOR -Grass Catcher-	8122 (38602)	8123 (38603)	8163-B (38604)	8179-KT (34689)	8199-KT (34690)
Grass Catcher 37007 (3 Basket)	Blwr/Frm 36980 Drive Kit 38869 Boot Kit/40" 37006 Boot Kit/50" N/R Will not work with Lift Rear Hitch.	Blwr/Frm 36980 Drive Kit 38869 Boot Kit/40" 37006 Boot Kit/50" N/R Will not work with Lift Rear Hitch.	Blwr/Frm 36980 Drive Kit 37002 Boot Kit/40" 37006 Boot Kit/50" 37005 Will not work with Lift Rear Hitch.	Blwr/Frm 36980 Drive Kit 38869 Boot Kit/50" 37005 Boot Kit/60" 37004 Will not work with Lift Rear Hitch.	Blwr/Frm 36980 Drive Kit 38869 Boot Kit/50" 37005 Boot Kit/60" 37004 Will not work with Lift Rear Hitch.
Grass Catcher 37008 (Cart)	Blwr/Frm 36980 Drive Kit 38869 Boot Kit/40" 37006 Boot Kit/50" N/R Cart 38563 *Frt Wght 11924 or 38245 Will not work with Lift Rear Hitch.	Blwr/Frm 36980 Drive Kit 38869 Boot Kit/40" 37006 Boot Kit/50" N/R Cart 38563 *Frt Wght 11924 or 38245 Will not work with Lift Rear Hitch.	Blwr/Frm 36980 Drive Kit 37002 Boot Kit/40" 37006 Boot Kit/50" 37005 Cart 38563 *Frt Wght 11924 or 38245 Will not work with Lift Rear Hitch.	Blwr/Frm 36980 Drive Kit 38869 Boot Kit/50" 37005 Boot Kit/60" 37004 Cart 38563 *Frt Wght 11924 or 38245 Will not work with Lift Rear Hitch.	Blwr/Frm 36980 Drive Kit 38869 Boot Kit/50" 37005 Boot Kit/60" 37004 Cart 38563 *Frt Wght 11924 or 38245 Will not work with Lift Rear Hitch.
Grass Catcher 38090 (44-Gallon)	Blwr/Frm 36980 Drive Kit 38869 Boot Kit/40" 37006 Boot Kit/50" N/R *Frt Wght 11924 or 38245 Will not work with Lift Rear Hitch.	Blwr/Frm 36980 Drive Kit 38869 Boot Kit/40" 37006 Boot Kit/50" N/R *Frt Wght 11924 or 38245 Will not work with Lift Rear Hitch.	Blwr/Frm 36980 Drive Kit 37002 Boot Kit/40" 37006 Boot Kit/50" 37005 *Frt Wght 11924 or 38245 Will not work with Lift Rear Hitch.	Blwr/Frm 36980 Drive Kit 38869 Boot Kit/50" 37005 Boot Kit/60" 37004 *Frt Wght 11924 or 38245 Will not work with Lift Rear Hitch.	Blwr/Frm 36980 Drive Kit 38869 Boot Kit/50" 37005 Boot Kit/60" 37004 *Frt Wght 11924 or 38245 Will not work with Lift Rear Hitch.
Cart 38563	No Kit Required	No Kit Required	No Kit Required	No Kit Required	No Kit Required

APPLICATIONS CHART
(Effective September 1, 1984)

	8122 (38602)	8123 (38603)	8163-B (38604)	8179-KT (34689)	8199-KT (34690)
FOUR-WHEEL TRACTOR -Snow Removal-					
Power Brush 22118	Frnt. Drv. 31224 Comp. Kit 31221 *Lift Ast 11271 *Aux Lift Asst. 18899 *Whl Brk. 35014	Frnt. Drv. 31224 Comp. Kit 31221 *Whl Brk. 35014	Frnt. Drv. 31224 Comp. Kit 31221 *Whl Brk. 35014	Frnt. Drv. 31224 Comp. Kit 31221 *Whl Brk. 35014	Frnt. Drv. 31224 Comp. Kit 31221 *Whl Brk. 35014
48" Snow Dozer Blade 24678	*Frnt Wght 11924 or 38245 *Rear Wgt 38250 *Wgt Rack 20443 *Chains 19377 *Whl Brk. 35014	*Frnt Wght 11924 or 38245 *Rear Wgt 38250 *Wgt Rack 20443 *Chains 19377 *Whl Brk. 35014	*Frnt Wght 11924 or 38245 *Rear Wgt 38250 *Wgt Rack 20443 *Chains 19377 *Whl Brk. 35014	*Frnt Wght 11924 or 38245 *Rear Wgt 38250 *Wgt Rack 20443 *Tire Chains 31439 *Whl Brk. 35014	*Frnt Wght 11924 or 38245 *Rear Wgt 38250 *Wgt Rack 20443 *Tire Chains 31439 *Whl Brk. 35014
40" Snowblower 38597	Frnt. Drv. 31224 *Lift Ast 11271 *Aux Lift Asst. 18899 *Frnt Wght 11924 or 38245 *Rear Wgt 38250 *Chains 19377 *Whl Brk. 35014 *Wgt Rack 20443	Frnt. Drv. 31224 *Frnt Wght 11924 or 38245 *Rear Wgt 38250 *Chains 19377 *Whl Brk. 35014 *Wgt Rack 20443	Frnt. Drv. 31224 *Frnt Wght 11924 or 38245 *Rear Wgt 38250 *Chains 19377 *Whl Brk. 35014 *Wgt Rack 20443 *WintrKit 24814	Frnt. Drv. 31224 *Frnt Wght 11924 or 38245 *Rear Wgt 38250 *Chains 19377 *Whl Brk. 35014 *Wgt Rack 20443 *WintrKit 24814	Frnt. Drv. 31224 *Frnt Wght 11924 or 38245 *Rear Wgt 38250 *Chains 19377 *Whl Brk. 35014 *Wgt Rack 20443 *WintrKit 24814
48" Snowblower 38599	Not Recommended Lack of Power	Not Recommended Lack of Power	Frnt. Drv. 31224 *Frnt Wght 11924 or 38245 *Rear Wgt 38250 *Chains 19377 *Whl Brk. 35014 *Wgt Rack 20443 *WintrKit 24814	Frnt. Drv. 31224 *Frnt Wght 11924 or 38245 *Rear Wgt 38250 *Chains 19377 *Whl Brk. 35014 *Wgt Rack 20443 *WintrKit 24814	Frnt. Drv. 31224 *Frnt Wght 11924 or 38245 *Rear Wgt 38250 *Chains 19377 *Whl Brk. 35014 *Wgt Rack 20443 *WintrKit 24814

APPLICATION CHART
(Effective September 1, 1984)

8122 (38602)	8123 (38603)	8163-B (38604)	8179-KT (34689)	8199-KT (34690)
FOUR-WHEEL TRACTOR -Gardening-				
Rear Tiller 18886	Rear PTO 34691 Lift R.H. 24487 *Lift Ast 11271 *Frt Wght 11924 or 38245 *Rear Wgt 38250 *Wgt Rack 20443 *Whl Brk. 35014 *Chains 19377 *Aux Lift Asst. 18899	Rear PTO 34691 Lift R.H. 24487 *Frt Wght 11924 or 38245 *Rear Wgt 38250 *Wgt Rack 20443 *Whl Brk. 35014 *Chains 19377	Rear PTO 34691 Lift R.H. 24487 *Frt Wght 11924 or 38245 *Rear Wgt 38250 *Wgt Rack 20443 *Whl Brk. 35014 *Chains 31439	Rear PTO 34691 Lift R.H. 24487 *Frt Wght 11924 or 38245 *Rear Wgt 38250 *Wgt Rack 20443 *Whl Brk. 35014 *Chains 31439
Rotary Plow 22161	Frt. Drv. 31224 Frt. Adpt 21339 Att. Adpt 35718	Frt. Drv. 31224 Frt. Adpt 21339 Att. Adpt 35718	Not Recommended Rear wheels can not be turned inboard.	Not Recommended Rear wheels can not be turned inboard.
Center Mount Blade 21308	*Frt Wght 11924 or 38245 *Rear Wgt 38250 *Whl Brk. 35014 *Wgt Rack 20443 *Chains 19377	*Frt Wght 11924 or 38245 *Rear Wgt 38250 *Whl Brk. 35014 *Wgt Rack 20443 *Chains 19377	*Frt Wght 11924 or 38245 *Rear Wgt 38250 *Whl Brk. 35014 *Wgt Rack 20443 *Chains 31439	*Frt Wght 11924 or 38245 *Rear Wgt 38250 *Whl Brk. 35014 *Wgt Rack 20443 *Chains 31439

*Recommended accessory

NOTES

APPLICATIONS CHART
(Effective August 15, 1985)

TWO-WHEEL TRACTOR -Mowing-	5200 (40411) (40571)	5240 (40412) (40572)	5260 (40413) (40573)	5645 (40414) (40574)	5665 (40415) (40575)	5465 (40416) (40576)
30" (Short Drive can- not be used with stamped deck.)	No Kit Required	No Kit Required	No Kit Required	No Kit Required	No Kit Required	No Kit Required
40"/2-Blade 25120	Quick Hitch Pin 35719	Quick Hitch Pin 35719	Quick Hitch Pin 35719	Quick Hitch Pin 35719	Quick Hitch Pin 35719	Quick Hitch Pin 37519
40"/2-Blade 11362 Drive 37896 Deck	No Kit Required Remove Attm. Adaptor 35718	No Kit Required Remove Attm. Adaptor 35718	No Kit Required Remove Attm. Adaptor 35718	No Kit Required Remove Attm. Adaptor 35718	No Kit Required Remove Attm. Adaptor 35718	No Kit Required Remove Attm. Adaptor 35718
32" Flail 21305	Quick Hitch Pin 35719	Quick Hitch Pin 35719	Quick Hitch Pin 35719	Quick Hitch Pin 35719	Quick Hitch Pin 35719	Quick Hitch Pin 35719
42" Sickle 10281 Drive 10287 Bar	No Kit Required Remove Attm. Adaptor 35718	No Kit Required Remove Attm. Adaptor 35718	No Kit Required Remove Attm. Adaptor 35718	No Kit Required Remove Attm. Adaptor 35718	No Kit Required Remove Attm. Adaptor 35718	No Kit Required Remove Attm. Adaptor 35718
40"/3-Blade 39000	Front Mount 15569 Quick Hitch Pin 35719	Front Mount 15569 Quick Hitch Pin 35719	Front Mount 15569 Quick Hitch Pin 35719	Front Mount 15569 Quick Hitch Pin 35719	Front Mount 15569 Quick Hitch Pin 35719	Front Mount 15569 Quick Hitch Pin 35719
50"/3-Blade 38994	Not Recommended Lack of Power	Not Recommended Lack of Power	Not Recommended Lack of Power	Front Mount 15569 Quick Hitch Pin 35719	Front Mount 15569 Quick Hitch Pin 35719	Not Recommended Lack of Power

APPLICATIONS CHART
(Effective August 15, 1985)

	5200 (40411) (40571)	5240 (40412) (40572)	5260 (40413) (40573)	5645 (40414) (40574)	5665 (40415) (40575)	5465 (40416) (40576)
TWO-WHEEL TRACTOR -Snow Removal-						
32" Snowblower	Quick Hitch Pin 35719 *Chains (one) 11344 12125 **14950 *Cab 40564	Quick Hitch Pin 35719 *Chains (one) 11344 12125 **14950 *Cab 40564	Quick Hitch Pin 35719 *Chains (one) 11344 12125 **14950 *Cab 40564	Quick Hitch Pin 35719 *Chains (one) 11344 12125 **14950 *Cab 40564	Quick Hitch Pin 35719 *Chains (one) 11344 12125 **14950 *Cab 40564	Quick Hitch Pin 35719 *Chains (one) 11344 12125 **14950 *Cab 40564
40694						
Dozer	Hitch 38288 Quick Hitch Pin 35719 *Weight 21902 *Skid 11812	Hitch 38288 Quick Hitch Pin 35719 *Weight 21902 *Skid 11812	Hitch 38288 Quick Hitch Pin 35719 *Weight 21902 *Skid 11812	Hitch 38288 Quick Hitch Pin 35719 *Weight 21902 *Skid 11812	Hitch 38288 Quick Hitch Pin 35719 *Weight 21902 *Skid 11812	Hitch 38288 Quick Hitch Pin 35719 *Weight 21902 *Skid 11812
21466						
Power Brush	Quick Hitch Pin 35719 Comp. Kit 19823 *Cab 40564	Quick Hitch Pin 35719 Comp. Kit 19823 *Cab 40564	Quick Hitch Pin 35719 Comp. Kit 19823 *Cab 40564	Quick Hitch Pin 35719 Comp. Kit 19823 *Cab 40564	Quick Hitch Pin 35719 Comp. Kit 19823 *Cab 40564	Quick Hitch Pin 35719 Comp. Kit 19823 *Cab 40564
22118						
Cart	Trail Hitch 11627 Coup. Strut. 11980	Trail Hitch 11627 Coup. Strut. 11980	Trail Hitch 11627 Coup. Strut. 11980	Trail Hitch 11627 Coup. Strut. 11980	Trail Hitch 11627 Coup. Strut. 11980	Trail Hitch 11627 Coup. Strut. 11980
22172						

*Recommended accessory

**Cannot be used with Steering Brake Kit

APPLICATIONS CHART
(Effective August 15, 1985)

TWO-WHEEL TRACTOR -Gardening-	5200 (40411) (40571)	5240 (40412) (40572)	5260 (40413) (40573)	5645 (40414) (40574)	5665 (40415) (40575)	5465 (40416) (40576)
Rotary Plow 22161	No Kit Required	No Kit Required	No Kit Required	No Kit Required	No Kit Required	No Kit Required
Rotary Cultivator 22162	Rotary Plow 22161 or Plow Drive 23334	Rotary Plow 22161 or Plow Drive 23334	Rotary Plow 22161 or Plow Drive 23334	Rotary Plow 22161 or Plow Drive 23334	Rotary Plow 22161 or Plow Drive 23334	Rotary Plow 22161 or Plow Drive 23334
Lawn Renovator 37021	Rot. Plow 22161 or Plow Drv. 23334 Rot. Cult 22162 Gauge Whl 37032	Rot. Plow 22161 or Plow Drv. 23334 Rot. Cult 22162 Gauge Whl 37032	Rot. Plow 22161 or Plow Drv. 23334 Rot. Cult 22162 Gauge Whl 37032	Rot. Plow 22161 or Plow Drv. 23334 Rot. Cult 22162 Gauge Whl 37032	Rot. Plow 22161 or Plow Drv. 23334 Rot. Cult 22162 Gauge Whl 37032	Rot. Plow 22161 or Plow Drv. 23334 Rot. Cult 22162 Gauge Whl 37032
Toolholder 22411	No Kit Required (Implements Separate)	No Kit Required (Implements Separate)	No Kit Required (Implements Separate)	No Kit Required (Implements Separate)	No Kit Required (Implements Separate)	No Kit Required (Implements Separate)
Planter Drill 15597	Rot. Plow 22161 or Plow Drv. 23334 Blades 13450 or 13138	Rot. Plow 22161 or Plow Drv. 23334 Blades 13450 or 13138	Rot. Plow 22161 or Plow Drv. 23334 Blades 13450 or 13138	Rot. Plow 22161 or Plow Drv. 23334 Blades 13450 or 13138	Rot. Plow 22161 or Plow Drv. 23334 Blades 13450 or 13138	Rot. Plow 22161 or Plow Drv. 23334 Blades 13450 or 13138

APPLICATIONS CHART
(Effective August 15, 1985)

	8122G (40138)	8123G (40123)	8163G (40153)	8179G (40152)	8199G (39809)
FOUR-WHEEL TRACTOR -Mowing-					
40"/2-Blade 11362 Drive 37896 Deck	Frnt. Drv. 40252 Frnt. Adpt 21339 *Lift Ast 40251 *Aux Lift Asst. 18899 *Whl Brk. 40250	Frnt. Drv. 40252 Frnt. Adpt 21339 *Whl Brk. 40250	Frnt. Drv. 40252 Frnt. Adpt 21339 *Whl Brk. 40250	Not Recommended Rear wheels can not be turned inboard.	Not Recommended Rear wheels can not be turned inboard.
40"/3-Blade 39000	*Lift Ast 40251	No Kit Required	No Kit Required	Will Not Work Rear wheels can not be turned inboard.	Will Not Work Rear wheels can not be turned inboard.
50"/3-Blade 38994	*Lift Ast 40251	No Kit Required	No Kit Required	No Kit Required	No Kit Required
60"/3-Blade 40253	Will Not Work Must be used w/long frame.	Will Not Work Must be used w/long frame.	Will Not Work Must be used w/long frame.	No Kit Required	No Kit Required
40" Wing 31855	Not Recommended Lack of Power Cannot be used with 40".	Not Recommended Lack of Power Cannot be used with 40".	*Whl Brk. 40250 *Wght Rk. 40638 With Eng. Guard need 4 Spacers (39015) and 4 Bolts (180194)	Spacers-4 39015 Bolts-4 180194 *Whl Brk. 40250 *Wght Rk. 40638	Spacers-4 39015 Bolts-4 180194 *Whl Brk. 40250 *Wght Rk. 40638

*Recommended accessory

8122G (40138)	8123G (40123)	8163G (40153)	8179G (40152)	8199G (39809)
FOUR-WHEEL TRACTOR -Grass Catcher-				
Grass Catcher 37007 (3 Basket)	Blwr/Frm 40655 Drive Kit 38869 Boot Kit/40" 37006 Boot Kit/50" N/R Will not work with Lift Rear Hitch.	Blwr/Frm 40655 Drive Kit 37002 Boot Kit/40" 37006 Boot Kit/50" 37005 Will not work with Lift Rear Hitch.	Blwr/Frm 40655 Drive Kit 38869 Boot Kit/50" 37005 Boot Kit/60" 37004 Will not work with Lift Rear Hitch.	Blwr/Frm 40655 Drive Kit 38869 Boot Kit/50" 37005 Boot Kit/60" 37004 Will not work with Lift Rear Hitch.
Grass Catcher 37008 (Cart)	Blwr/Frm 40655 Drive Kit 38869 Boot Kit/40" 37006 Boot Kit/50" N/R Cart 38563 *Frt Wght 11924 or 38245 Will not work with Lift Rear Hitch.	Blwr/Frm 40655 Drive Kit 37002 Boot Kit/40" 37006 Boot Kit/50" 37005 Cart 38563 *Frt Wght 11924 or 38245 Will not work with Lift Rear Hitch.	Blwr/Frm 40655 Drive Kit 38869 Boot Kit/50" 37005 Boot Kit/60" 37004 Cart 38563 *Frt Wght 11924 or 38245 Will not work with Lift Rear Hitch.	Blwr/Frm 40655 Drive Kit 38869 Boot Kit/50" 37005 Boot Kit/60" 37004 Cart 38563 *Frt Wght 11924 or 38245 Will not work with Lift Rear Hitch.
Grass Catcher 38090 (44-Gallon)	Blwr/Frm 40655 Drive Kit 38869 Boot Kit/40" 37006 Boot Kit/50" N/R *Frt Wght 11924 or 38245 Will not work with Lift Rear Hitch.	Blwr/Frm 40655 Drive Kit 37002 Boot Kit/40" 37006 Boot Kit/50" 37005 *Frt Wght 11924 or 38245 Will not work with Lift Rear Hitch.	Blwr/Frm 40655 Drive Kit 38869 Boot Kit/50" 37005 Boot Kit/60" 37004 *Frt Wght 11924 or 38245 Will not work with Lift Rear Hitch.	Blwr/Frm 40655 Drive Kit 38869 Boot Kit/50" 37005 Boot Kit/60" 37004 *Frt Wght 11924 or 38245 Will not work with Lift Rear Hitch.
Cart 38563	No Kit Required	No Kit Required	No Kit Required	No Kit Required

*Recommended accessory

APPLICATION CHART
(Effective August 15, 1985)

	8122G (40138)	8123G (40123)	8163G (40153)	8179G (40152)	8199G (39809)
FOUR-WHEEL TRACTOR -Gardening-					
Rear Tiller 18886	Rear PTO 40709 Lift R.H. 40701 *Lift Ast 40251 *Frt Wght 11924 or 38245 *Rear Wgt 38250 *Wgt Rack 40638 *Whl Brk. 40250 *Chains 19377 *Aux Lift Asst. 18899	Rear PTO 40709 Lift R.H. 40701 *Frt Wght 11924 or 38245 *Rear Wgt 38250 *Wgt Rack 40638 *Whl Brk. 40250 *Chains 19377	Rear PTO 40709 Lift R.H. 40701 *Frt Wght 11924 or 38245 *Rear Wgt 38250 *Wgt Rack 40638 *Whl Brk. 40250 *Chains 19377	Rear PTO 40709 Lift R.H. 40701 *Frt Wght 11924 or 38245 *Rear Wgt 38250 *Wgt Rack 40638 *Whl Brk. 40250 *Chains 31439	Rear PTO 40709 Lift R.H. 40701 *Frt Wght 11924 or 38245 *Rear Wgt 38250 *Wgt Rack 40638 *Whl Brk. 40250 *Chains 31439
Rotary Plow 22161	Frt. Drv. 40252 Frt. Adpt 21339 Att. Adpt 35718	Frt. Drv. 40252 Frt. Adpt 21339 Att. Adpt 35718	Frt. Drv. 40252 Frt. Adpt 21339 Att. Adpt 35718	Not Recommended Rear wheels can not be turned inboard.	Not Recommended Rear wheels can not be turned inboard.
Center Mount Blade 21308	*Frt Wght 11924 or 38245 *Rear Wgt 38250 *Whl Brk. 40250 *Wgt Rack 40638 *Chains 19377	*Frt Wght 11924 or 38245 *Rear Wgt 38250 *Whl Brk. 40250 *Wgt Rack 40638 *Chains 19377	*Frt Wght 11924 or 38245 *Rear Wgt 38250 *Whl Brk. 40250 *Wgt Rack 40638 *Chains 19377	*Frt Wght 11924 or 38245 *Rear Wgt 38250 *Whl Brk. 40250 *Wgt Rack 40638 *Chains 31439	*Frt Wght 11924 or 38245 *Rear Wgt 38250 *Whl Brk. 40250 *Wgt Rack 40638 *Chains 31439

*Recommended accessory

NOTES

NOTES

Special Tool List

7.6

Special Tools (see list)
Crankcase Puller
Timing Tool
Starter Clutch Socket

Supplier

Gravely
N/A (Fabricate)
N/A (Fabricate)
Crowley

4W

Forward/Reverse Tool
PTO Tool
Hub Cap Drivers (2 sizes)
Hydraulic Kit (39995)
Seal Protector & Drivers

Wall
Wall or Crowley
N/A (Fabricate)
Gravely
Crowley

Miscellaneous

Tachometer (19200)
VOA Meter
Volt Test Light
Timing Light
Spring Tool (40494)
Triple Purpose Wrench (15367)

Briggs & Stratton
Local
Local
Local
Gravely
Gravely

James Wall
P.O. Box 999
Pilot Mountain, NC 27042
919/368-5498

Crowley Ridge Machine Works
4114 Forrest Hill Rd.
Jonesboro, AR 72401
501/932-4657

NOTES

1. 1. 1.

2. 2. 2.

3. 3. 3.

4. 4. 4.

5. 5. 5.

6. 6. 6.

7. 7. 7.

8. 8. 8.

9. 9. 9.

10. 10. 10.

11. 11. 11.

12. 12. 12.

13. 13. 13.

14. 14. 14.

15. 15. 15.

16. 16. 16.

17. 17. 17.

18. 18. 18.

19. 19. 19.

20. 20. 20.

NOTES

NOTES

