

GRAVELY



CONVERTIBLE TRACTORS

FOR THE MAN WHO NEEDS EVERYTHING DONE—NOW!

Is versatility the name of your game? Do you need a machine that does a variety of jobs well, while you either walk or ride?

Then Gravely all-gear-drive Convertibles are built for you.

Performance proved and tested and improved for almost 40 years, the Gravely 7.6 HP Convertible Tractor has met the needs of homeowner and commercial-industrial customers alike.

The 10 and 12 HP Convertibles, with their additional power, but the same rugged, functional characteristics that built a customer loyalty unmatched by any other tractor in the world, have proved themselves in rugged

lawn, garden, field and farm jobs.

Need a tractor to plow the garden . . . and 10 minutes later to be mowing the lawn? A tractor that works for you every season of the year, with tools that save you hours of drudgery? You can

buy a convertible today with a few attachments to meet your immediate needs, with confidence that years from now you will be able to add attachments that will operate efficiently on the same rugged Gravely Convertible.



If versatility, durability, performance are the three things you look for in power equipment. . . study these next pages carefully. We have good news for you.



7.6 HP Custom Tractor with 30-Inch Rotary Mower, Optional Chain Guard, and Riding Sulky



7.6 HP Custom Tractor with 30-Inch Rotary Mower

FROM RIDER TO WALKER—INSTANTLY

**ALL
GEAR
DRIVE**



Team up with the tough ones—rugged, powerful Gravelly Tractors that convert instantly from rider to walker to suit the job or terrain.

For level lawn mowing and many other tasks, the Gravelly Convertible does the work while you go along for the ride. For the steep slopes, hills, heavy brush in rough terrain, or in the garden, convert to a walking tractor because it does the job best. Just pull one pin and release the Riding Sulky.

Gravelly Convertibles . . . from the basic Gravelly Convertible Tractor, 7.6 HP, to the 12 HP . . . give you riding ease and speed, walking safety and control.

When you take command of a Gravelly Convertible, you appreciate the instant control . . . forward, neutral or reverse with one quick movement of one lever. You command the tractor instantly and precisely.

Out-front attachments give you maximum visibility . . . let you work under fences, shrubs, other obstacles easily.

See for yourself. Try the riding tractors you walk behind for the tough jobs.

Old Gravelly Tractors are our toughest competition . . . this 17 year old is still going strong—proof of Gravelly durability, performance, and quality!



7.6 Super Convertible Tractor with 30-Inch Rotary Mower and Optional Chain Guard.

GRAVELY 30-INCH ROTARY MOWER—RUGGED PERFORMANCE FOR LAWN OR ROUGH



30-Inch Rotary Mower and Optional Chain Guard.

ALL-GEAR-DRIVE

Bring on your toughest mowing . . . this is the mower that taught the others how to handle the rough jobs. There is not one single belt or chain . . . all-gear-steel-shaft drive, powered directly from the tractor engine.

Tackles the toughest mowing jobs—and gets them done quickly and easily. Designed for rough work, with a heavy steel deck, rugged skids, a blade that is designed to slice, not beat the grass.

Follows ground contour with swivel action, does a good job on the lawn as well as in the weeds. Thousands of owners handle both their lawn and rough cutting with this almost indestructible mower . . . with complete satisfaction.

Easy handling—real satisfaction is yours when you use the rugged Gravely 30-inch Rotary Mower.

For improved balance investigate the inexpensive optional mower weights for the 7.6, 10 and 12 HP Tractors.

SPECIFICATIONS: 30-Inch Rotary Mower

NOBELTS. Right angle bevel gear drive in cast iron housing with tapered roller bearings. Heavy duty 3/8 inch thick hi-lift blade. Dimensions: L 31-1/4 x W 31-1/4 x H 14-1/2 inches. Cutting width: 30 inches. Mower deck: 3/16 inch steel. Net weight: 109 lbs.

ATTACHMENTS FOR THE 30-INCH ROTARY MOWER

Super 7.6 standard transmission \$670.00
 " " synchromatic 8 " \$745.00

GET RID OF LEAVES FAST

Gravely Leafaway attaches to the 30-inch Rotary Mower, picks up leaves, mulches them, and packs them neatly into a bag for disposal.

The Leafaway is attached to the Rotary Mower, with a special fan blade mounted on the mower shaft along with the cutting blade.

The mower then mulches the leaves, and the fan blade blows them into a sturdy canvas bag. A heavy duty zipper on the end of the bag makes it easy to open to dispose of the mulched leaves.

Save yourself hours of back-breaking raking, stop dangerous leaf burning. The mulched leaves may be used to build a compost pile, or mulch for your next spring's garden, or around shrubbery plantings.

The Leafaway and 30-inch Rotary Mower may be used on all Convertible Tractors.



Gravely 12 HP Convertible Tractor with Leafaway attachment

LEAF MULCHER

Mulches leaves finely, distributes mulched material evenly through perforated screen. Attaches to 30-inch Rotary Mower.



CHAIN GUARD

Recommended for all uses of the 30-inch Rotary Mower.



SPECIFICATIONS:

LEAF MULCHER: 1/8 inch perforated steel.

CHAIN GUARD: Guard: welded 1/8 inch steel. Chain: steel link chain curtain.

ALL GEAR DRIVE



SICKLE MOWER FOR ROUGHS, PASTURES

Mow pastures, meadows, brushland with the all-gear-drive Sickle Mower. Tough enough to cut small saplings!

Swivel action follows ground contour. Optional skids for pasture and meadow mowing.

Two sizes available, 42 inches wide or 60 inches wide. Three-inch sections.


The Sickle Mower is recommended only for the 7.6 HP Convertible Tractor.

SICKLE MOWER:

NO BELTS. Universal drive with tapered roller and ball bearings fully enclosed in cast iron housing. Dimensions: 42 inches x 42 inches and 42 inches x 60 inches. Available with 42-inch or 60-inch bar. Weight: 100 lbs. Knife sections: 3 inch.



Gravelly 12 HP Convertible Tractor with Dual Wheels, Riding Sulky, 50-inch Rotary Mower and Quick Hitch Kit



QUICK HITCH

Attach Quick Hitch Kit with splined shaft to any Gravelly Convertible Tractor with two nuts, two bolts. Then, drive into attachment, slip universals in place, drop pin and snap ring over and you're ready to go—in seconds, without tools!

50-INCH OR 40-INCH ROTARY MOWERS Powered by 10 or 12 HP Convertibles—Get the Big Jobs Done!

Give your lawn and grounds professional care with your choice from 10 or 12 HP Gravelly Convertible Tractors. Used by professional groundsmen in industry, government and private contracting, these tractors have the features and the power that commercial men demand, homeowners want.

All-gear-drive, instant control including a reverse you hold in place.

Out-front tools for operator safety and visibility.

Convertible . . . ride for the mowing, hauling, lawn care jobs. But when you hit the terraces, the slopes, when you need

to work the ground, or take the tractor into the brush and the rough, just detach the Riding Sulky and you have a powerful, obedient, balanced walker that you handle easily in the toughest areas.

You have the power to get the big mowing jobs done, with the 50-inch or 40-inch Rotary Mowers. Sturdy, three-blade units that are all-gear-drive right down to the single, horizontal spring-tensioned belt.

These mowers follow ground contour regardless of the position of the tractor wheels, have a quickly set height adjustment.

SPECIFICATIONS: 50-Inch and 40-Inch Rotary Mowers

Drive: Universal driveshaft and right angle bevel gear drive through aluminum die cast gear housing with tapered roller bearings. Single, horizontal, spring tensioned "V" belt driving three spindles with sealed ball and needle bearings. Hi-lift blades. Cutting height: 1-1/2 to 3-1/2 inches. Dimensions: L 53-3/8 x W 46-1/2 x H 12-1/2 inches. Cutting width: 50 inches. Net weight: 252 lbs. Requires Quick Hitch Kit. 40-inch Rotary Mower: same specifications except—Dimensions: L 46-1/2 x W 43-3/8 x H 12-1/2 inches. Cutting width: 40 inches. Net weight: 192 lbs.



Gravely 7.6 Super Convertible with Optional Dual Wheels, Steering Sulky, and 40-inch Commercial Rotary Mower

YOU HAVE A CHOICE OF 40-INCH ROTARY MOWERS... PICK THE ONE FOR YOUR JOBS.

Gravely Convertible Tractors may be little, but they've got a lot of muscle. Matched with your choice from these two 40-inch Rotary Mowers, you can tackle lawn or rough mowing with confidence, knowing that you have the power and ease of handling that will get the job done right. You walk or ride depending upon the job and the terrain.

The Gravely 40-inch Rotary Mower is a fine lawn mower . . . gives you a smooth, even cut, 40 inches at a time. Built to the general design and specifications of the 50-inch Rotary Mower, you know they're rugged because it's the same basic mower assembly used by the Riding Tractors.

GET THE ROUGH MOWING DONE FAST!

The 40-inch Commercial Rotary Mower was designed and built for the rough jobs. Tested and proved by years of commercial and homeowner use with Gravely Convertibles, it is the mower you use when the going is tough.

Built to last, with a steel, reinforced deck, all-gear-drive down to two single spring-tensioned, horizontal belts that drive two hi-lift blades. Front casters for easy maneuverability, swivel action, follows ground contour.




Gravely 12 HP Convertible Tractor with 40-inch Commercial Rotary Mower—Rough Mowing

SPECIFICATIONS: 40-Inch Commercial Rotary Mower

Drive: Right angle bevel gear drive through cast iron housing with tapered roller bearings to horizontal spring tensioned "V" belts that drive two spindles (with tapered roller bearings) mounted on welded reinforced deck. Hi-lift blades. Cutting height: adjustable 1-1/2 to 3-3/4 inches. Swath: 40 inches. Dimensions: L 34-3/4 x W 42 x H 15-1/2 inches. Net weight: 182 lbs.

WHY WALK WHEN YOU CAN GO ALONG AND ENJOY THE RIDE?



Gravely 12 HP Convertible Tractor with Riding Sulky and 40-inch Commercial Mower

Gravely Convertible Tractors become easy handling riding tractors on level land by the addition of either of the Gravely Sulkies. The Riding Sulky has a comfortable steel seat, with a steel spring to make it an easy rider. Pneumatic tires, steel axles. Attaches and detaches with one pin, instantly, using the Trailing Hitch Kit.

The Steering Sulky lives up to its name—simply turn the steering wheel to guide the tractor and attachment. Recommended for use with Convertible Tractors equipped with Dual Wheels. Steering Sulky has pneumatic tires, steel seat and spring support. Great for handling the larger mowers. Why walk when you can ride?

ALLIED EQUIPMENT

Make your Gravely Convertible Tractor an even more versatile machine with Allied Equipment. Following is a list of equipment available for the Convertible Tractors. For more information see your Gravely dealer.

- Kensico 36-inch Aerator.



Gravely 7.6 HP Super Convertible Tractor with Steering Sulky, 40-inch Commercial Mower and Dual Wheels



HAULING CART

Save your time and your back. The Gravely Hauling Cart has a capacity of a half-ton; all steel construction, self-dumping. The Hauling Cart is 30 inches wide, 46½ inches long, with 11½ inch sides. Pneumatic tires for an easier ride. Removable steel seat. Roller Rest Kit required.

SEEDER-SPREADER

Ride in comfort as you seed or fertilize your lawn. Spreader is five feet wide for fast coverage. Dimensions: 72 inches x 40 inches x 20 inches. Channel iron and steel frame, pneumatic tires, one wheel drives mechanical auger for even feeding. Roller Rest Kit required.




LEAF BLOWER

The Gravely Leaf Blower produces a high-velocity air stream controlled by an adjustable discharge nozzle. Whisks leaves into neat windrows or piles for easy disposal. Quick Hitch Kit required.

LAWN ROLLER

Roll out lawn problems with Gravely's Lawn Roller attachment. Water-filled Roller follows ground contour to level your lawn, take out unsightly humps. Compacting the soil gives you a more close knit, firmly rooted lawn, more resistant to weeds, disease, and drought. Lawn Roller weighs 655 pounds, loaded. Roller Rest Kit required.





Gravely 7.6 HP Super Convertible with Rotary Plow – It's family fun when the plowing's done

GRAVELY – THE GROWING MACHINE

Gardening can be fun if you have the right equipment for the job. The satisfaction you will get from the creative experience of growing your own vegetables, flowers, and fruits, the enjoyment in the freshness and tastiness of homegrown food will be worth much more than the small money investment in equipment.

Gardening is an experience in living. For yourself and your family . . . with the drudgery gone, thanks to Gravely equipment, you concentrate on the enjoyment of preparing the garden, taking care of growing things, enjoying the harvest. Economically, you can grow good nutritious food, and preserve it for future enjoyment.

Gravely equipment is the first choice of gardeners

for several reasons. One of them is that the unique Rotary Plow makes preparing the garden easy and fast. The versatility of Gravely Convertible Tractors allows you to change to whatever attachment is needed quickly and easily . . . from Plow to Rotary Cultivator or Tool Cultivator to mower . . . because with Gravely you don't have a one-job machine . . . when it is not helping you with your garden, the Gravely is mowing, hauling, doing many other chores. Even moving snow in the winter.

Gravely is great for gardening. On the following pages you will see the many tools and attachments that make it the "Growing Machine" all over the world.



Gravelly 7.6 HP Super Convertible Tractor with Rotary Plow

GRAVELLY—GREAT FOR GARDENING

Rotary Plow—perfect seedbed in one easy operation

Gravelly's exclusive Rotary Plow prepares a seedbed that's ready for planting when you finish plowing. Just one easy operation does it . . . without raking, discing, or other preparation.

The Rotary Plow employs a totally different—and unique—principle to give you a deep, mellow, even seedbed. The plow's four high-carbon steel blades cut into the sides and bottom of the furrow hundreds of times a minute at normal working speed . . . actually turns the soil as it plows.

PERFECT TILLING

Soil is pulverized from top to bottom of the furrow. The Rotary Plow mulches and works ground cover into soil evenly for greater humus content. In hard soil, the plow goes to 5 inch depth . . . in soft soil to 7 inches. Cuts a furrow up to 8 inches wide, depending on soil conditions. Leaves no "hard-pan" to drain away moisture and nutrients. Makes a perfect seedbed without destroying the soil structure necessary for a productive garden.

Tested and proved for garden plowing throughout the world in every type of soil.

SPECIFICATIONS: Rotary Plow

NO BELTS. Right angle bevel gear drive with tapered roller bearings fully enclosed in cast iron housing protected by a slip clutch. Four heavy duty forged steel blades. Dimensions: L 36 x W 33 x H 20 inches. Net wt.: 118 lbs.



HILLS, TILLS, TERRACES

The Rotary Plow doubles as a terracing tool, and is perfect for making row hills for plants such as sweet potatoes, cucumbers, melons. Excellent for ditching.



Gravelly 7.6 HP Custom Convertible Tractor with Rotary Cultivator

TOOL CULTIVATING To Fit Every Crop's Needs

Have a productive weed-free garden while you rid yourself of old-fashioned, back-breaking hoe cultivation. Do the job with a Gravelly Tool Cultivator.

A wide variety of cultivating implements are available, including hillers, furrowers, sweeps, hoes and steels.

Tools can be arranged to suit your needs. Toolholder can be adjusted from eight to 30 inches wide, while tools may be adjusted individually to desired cultivating depths. For Convertible Tractors.



GRAVELLY ROTARY CULTIVATOR, A REAL GARDENING MASTER

Gravelly's Rotary Cultivator takes the drudgery out of garden care . . . gives you a productive garden that's free of weeds and properly aerated all season long.

Durable high-carbon steel tines cut to 3 inch depth, stirring and aerating the soil completely. The Cultivator tills 26 inches wide. For Convertible Tractors.

With a Rotary Plow attachment you produce a ready to plant seedbed in one easy operation. Then, after your garden is prepared, you attach the Rotary Cultivator to the Rotary Plow Drive . . . and cultivate your garden all summer long. You get the advantages of power plowing, power cultivating, at minimum expense.




SPECIFICATIONS: Rotary Cultivator

TWIN TOOL CULTIVATION

Only Gravelly offers unique twin-tool power gardening . . . the Rotary Plow that prepares a seedbed ready for immediate planting, and the Rotary Cultivator that keeps your garden weed-free and thoroughly aerated all season long.

ALL GEAR DRIVE

NO BELTS. Right angle bevel gear drive with sealed ball bearings fully enclosed in cast iron housing. 16 steel forged tines. Cutting depth: 3 inches. Dimensions: L 10 x W 26 x H 19 inches. Requires Rotary Plow Drive Assembly.



TOOL SET-UPS FOR TOOLHOLDERS

GRAVELY BLIZZARD TESTED AND PROVED SNOW REMOVAL EQUIPMENT



Gravelly 12 HP Convertible Tractor with 48-inch SnowDozer

48 INCH SNOWDOZER ROLLS YOUR SNOW TROUBLES AWAY!

Clear the average sidewalk in one pass, the driveway in two passes with Gravelly's 48-inch SnowDozer. Unique curved blade actually rolls the snow away. Adjustable to left, right, or straight ahead with one pin.

Doubles as a Dozer blade too . . . moves loose dirt, cinders, gravel. With Gravelly's Dual Wheels, you'll be amazed at what you can accomplish with this rugged blade.

Unquestionably the finest Snowblower available today!

The Gravelly Snowblower will have you out and gone while your neighbor is still snowbound!

Perfect control with convenient directional control and Deflector Hood, you put the snow exactly where you want it—from six inches away to 60 feet away! Controlled from operator's position.

Rugged—almost indestructible . . . heavy duty welded steel construction, plus all-gear-and-steel-shaft-drive means year after year of dependable service.



Gravelly 12 HP Convertible Tractor with 26-inch Snowblower

SPECIFICATIONS: 48-Inch SnowDozer

Heavy duty 1/4 inch blade with replaceable wear strip, featuring three position angle adjustment. Dimensions: L 16-1/4 x W 48 x H 20-1/2 inches. Weight: 115 lbs. Skids: Optional.

SPECIFICATIONS: 26-Inch Snowblower, 34-Inch Snowblower

NO BELTS. Two-stage Snowblower with direct drive. Blower drive shaft enclosed in cast iron gear housing with ball bearings. Worm gear reel drive enclosed in cast iron housing with sealed ball and needle bearings protected by a reel slip clutch. Reel supported by self aligning sealed ball bearings. Replaceable wear strip. Directional chute assembly operated by control at operator's position. Swath: 26 and 34 inches. Dimensions: L 37 x W 26 x H 30 inches, and L 37 x W 34 x H 30 inches. Net weight: 210 and 230 lbs. Optional: Caster Kit (with drift cutters.)

MAKE A CLEAN SWEEP 44 INCH POWER BRUSH

The Power Brush is an indispensable tool for the commercial owner and for many homeowners. Sweeps light snow (up to four inches deep) clean away, right down to the pavement . . . prevents ice formation, keeps walks and drives safer.

To prove its durability, the Power Brush is used by roofers to clean roofing areas in preparation for repair or re-roofing . . . a rough and rugged job that proves its strength and performance.

Designed to give a clean sweeping action, it gets right down to the pavement with standard, heavy duty plastic bristles; or steel bristles for special applications, such as roofing preparation.

The Power Brush is also an excellent tool for lawn thatching.

You can adjust the direction of the sweep from the driver's position. Contact pressure can easily be adjusted. Brush is quickly replaceable.

For convenience, versatility, economy, and a lot of work time saved, get the Gravely Convertible Tractor and the Power Brush attachment.



Gravely 12 HP Convertible Tractor with Power Brush, Quick Hitch Kit and Optional Tire Chains



Gravely 12 HP Convertible Tractor with 44-inch Power Brush, Quick Hitch Kit.

SPECIFICATIONS: 44-Inch Power Brush

NO BELTS. Right angle bevel gear drive with tapered roller bearings in an aluminum die cast drive housing. Brush driven with 5/8 inch sprocket chain, and supported with self-aligning ball bearings. Dimensions: L 32 x W 52 x H 19 inches. Brush dimensions: 18-inch diameter x 44-inch length. Casters: 6 inches in diameter. Angle adjustment to left, right or straight ahead.

GRAVELY CONVERTIBLE TRACTORS

Your Gravely Dealer will be happy to advise you concerning your particular needs. He is experienced in fitting the right tractor to the right job—and his counseling can save you time and money, and insure your satisfaction with Gravely equipment.



UTILITY SCOOP

Scoop up the snow and scoot it away, do grading, back-filling and landscaping with this heavy duty utility scoop.

DUAL WHEELS

double tire width for better traction. Add weight, lower center of gravity. For slopes, rough terrain, in snow.





TIRE CHAINS

give you added traction in snow, ice, loose dirt. Easily installed.


SCRAPER BLADE Mini-Dozer

For the light grading, snow removal jobs, an inexpensive little scraper blade that attaches to the Gravely Toolholder comes in handy. 10 inches high by 36 inches wide, may be set at any angle or straight ahead. Depth adjusted by Toolholder Depth Wheels. For Convertible Tractors.





10 or 12 HP TRACTOR



7.6 HP TRACTOR

GRAVELLY CONVERTIBLE TRACTORS – RUGGED DEPENDABLE DESIGN

Gravelly Convertible Tractors are of two basic types. The Gravelly 7.6 HP Tractors use a time-proved planetary type transmission, with a Gravelly designed and manufactured engine. The 10 and 12 HP Convertible Tractors also use a time-proved planetary type transmission, with Kohler cast-iron engines modified, where required, for Gravelly equipment.

The various models and specifications for Convertible Tractors are shown in the chart below. Your Gravelly dealer will be happy to advise you concerning your particular needs. They are experienced in fitting the right tractor to the right job—and their counseling can save you time and money, and insure your satisfaction with Gravelly equipment.

SPECIFICATIONS: GRAVELLY CONVERTIBLE TRACTORS

| | Convertible 7.6 Custom | Convertible 7.6 Custom Swiftamatic | Convertible 7.6 Super | Convertible 7.6 Super Swiftamatic | Convertible 10A | Convertible 12 |
|----------------------|--|--|--|--|--|--|
| ENGINES Cast Iron | Gravelly: Single cylinder, four-cycle, air cooled | Gravelly: Single cylinder, four-cycle, air cooled | Gravelly: Single cylinder, four-cycle, air cooled | Gravelly: Single cylinder, four-cycle, air cooled | Kohler K241 Single cylinder, four-cycle, air cooled, automatic compression release | Kohler K301 Single cylinder, four-cycle, air cooled, automatic compression release |
| HORSEPOWER | 7.6 HP at 2800 rpm | 7.6 HP at 2800 rpm | 7.6 HP at 2800 rpm | 7.6 HP at 2800 rpm | 10 HP at 3600 rpm | 12 HP at 3600 rpm |
| AIR CLEANER | Dry type, replaceable element | Dry type, replaceable element | Dry type, replaceable element | Dry type, replaceable element | Dry type, replaceable element | Dry type, replaceable element |
| FUEL SYSTEM | Gravity feed | Gravity feed | Gravity feed | Gravity feed | Automotive type, diaphragm fuel pump | Automotive type, diaphragm fuel pump |
| STARTING SYSTEM | Manual. Optional 12V electric Starter | Manual. Optional 12V electric Starter | Positive 12V electric Starter | Positive 12V electric Starter | Automotive Bendix gear starter 12V system | Automotive Bendix gear starter 12V system |
| FUEL CAPACITY | 1 1/4 U.S. Gallons | 1 1/4 U.S. Gallons | 1 1/4 U.S. Gallons | 1 1/4 U.S. Gallons | 2 U.S. Gallons | 2 U.S. Gallons |
| LUBRICATION | Force feed oil pump | Force feed oil pump | Force feed oil pump | Force feed oil pump | Splash | Splash |
| TRANSMISSION | Transaxle, planetary gear with fully enclosed P.T.O. | Transaxle, planetary gear with fully enclosed P.T.O. | Transaxle, planetary gear with fully enclosed P.T.O. | Transaxle, planetary gear with fully enclosed P.T.O. | Transaxle, planetary gear with fully enclosed P.T.O. | Transaxle, planetary gear with fully enclosed P.T.O. |
| ATTACHMENT P.T.O. | All-Gear Positive Drive | All-Gear Positive Drive | All-Gear Positive Drive | All-Gear Positive Drive | All-Gear Positive Drive | All-Gear Positive Drive |
| SPEEDS | 2 forward, 2 reverse | 4 forward, 4 reverse | 2 forward, 2 reverse | 4 forward, 4 reverse | 4 forward, 4 reverse | 4 forward, 4 reverse |
| SPEED RANGE | 0-4 mph | 0-4 mph | 0-4 mph | 0-4 mph | 0-4 mph | 0-4 mph |
| TIRES Pneumatic | 4.00 x 8 sure grip or diamond tread | 4.00 x 8 sure grip or diamond tread | 4.00 x 8 sure grip or diamond tread | 4.00 x 8 sure grip or diamond tread | 18 x 6.50/8 Lawn & garden tread | 18 x 6.50/8 Lawn & garden tread |
| WEIGHT: Shipping | 325 lbs. | 335 lbs. | 400 lbs. | 410 lbs. | 500 lbs. | 500 lbs. |
| LENGTH | 56 inches | 56 inches | 56 inches | 56 inches | 56 inches | 56 inches |
| WIDTH | 25 inches | 25 inches | 25 inches | 25 inches | 26 inches | 26 inches |
| HEIGHT | 36.5 inches | 36.5 inches | 36.5 inches | 36.5 inches | 37.0 inches | 37.0 inches |

ALL—GEAR—DRIVE

One of the many reasons for Gravelly owners' loyalty to Gravelly Tractors is the efficiency of Gravelly all-gear-and-steel-shaft drive. There are no belts or chains to slip, wear or constantly adjust. The power of the engine goes directly to the attachment, putting the power where it's needed . . . at the working tool.

Instant control: one flip of one lever for forward, neutral or reverse.

Optional Swiftamatic Transmission on 7.6 HP Tractors (standard on 10 and 12 HP Tractors) reduces ground speed by one-half, while attachment speed remains the same — great for the tough jobs like plowing, snow removal.



THE GREAT GRAVELY DURABILITY "MOW" ...



**WASHINGTON, D.C., TO NEW YORK CITY
... IN JUST 12 DAYS**

**306 MILES OF TRAVELING,
MOWING, AND TILLING**

To prove the performance and durability of Gravelly Tractors, a 408 Lawn Tractor, an 816 Riding Tractor, and a Commercial 12 Convertible Tractor were sent on a torturing 12-day trip from Washington, D. C., to New York City.

The Great Gravelly Durability Mow was equivalent to years of work—traveling through all kinds of weather and terrain, mowing grass, weeds and underbrush, even pausing to use plow and tiller attachments.

306 miles of machine against nature, and the Gravelly Tractors took it all in stride, with only normal maintenance. If these tractors can live through this kind of punishment, can your lawn or garden be a problem?

Sold and serviced by:

**ORGANIC SOIL BUILDERS
GRAVELLY TRACTORS**
SALES & SERVICE
439 W. McKEEVER ST.
PH. 786-3282 ANDREWS, IND.

Manufacturer reserves the right to change appearance, function and components of any Gravelly product without notice or liability.

Part Number 20085L2 Printed in the United States of America March 1973

Join the thousands of Gravelly owners—they are a special kind of people—they're perfectionists who know and demand quality—who know and demand value for every dollar they invest.

They know—as you will discover—that Gravelly's 55 years of specialization in the manufacture, sales and service of Gravelly equipment has produced equipment that has stood the test of time; whose new and improved products are backed by many solid years of experience and the most modern technology in manufacturing and engineering.

Ask the man who owns one!

And quality Gravelly products are backed by the finest service organization in the industry . . . your Gravelly dealer thinks of you—and treats you—as a friend.

The final test of any equipment, of course, is how it works on your land, doing the jobs you have to do. We urge you to request a demonstration of the tractor of your choice.

GRAVELLY

GRAVELLY LANE. CLEMMONS. NORTH CAROLINA 27012

DIVISION OF CLARKE-GRAVELLY CORPORATION